

Grass, Legume and Wildflower Species Recommended for Grassland Conservation in New York State

Created for the Greene Land Trust's Community Grassland Stewardship Project



As discussed in this guidebook, resource managers in New York State recommend coolseason grasses for successful establishment of grasslands for grassland bird conservation in the Northeast. Native warm-season grasses, such as Indiangrass.

such as Indiangrass, switchgrass and Little bluestem can be attempted, but are often very difficult to establish. Native cool-season grass species, such as Canada wildrye (photo left), Virginia

wildrye, Fowl bluegrass and Fringed bromegrass can be a good option for landowners wishing to encourage native species. Introduced (non-native) cool-season grasses, such as Orchardgrass, Hard fescue and Timothy (drawing right), are also acceptable for grassland bird conservation. Forage legumes, such as red or white clovers and Birdsfoot trefoil can be added to grass seed mixtures as well, if the land it being used for grazing or haying.

The tables below are adapted from several "Plant Materials Technical Notes" available from the New York State Natural Resources Conservation Service. **Table 1**. lists a variety of native, introduced, cool- and warmseason grass species recommended for grassland conservation in New York. It is recommended that seeds be sown utilizing a mixture of three to four species from this list.



Timothy grass, C. L. Flint



Several example seed mixtures are shown in **Table 2**. Any seeding rates listed below assume no-till seeding and proper weed control. If a no-till drill is not used, increase the total grass seeding rate by 20%. When seeding native, warm-season grasses, a "native grass drill" is recommended. Examples of native forbs, or wildflowers, recommended for adding to grass seed mixtures are shown in **Table 3**. Including a small mix of native forbs, such as Canada Goldenrod (photo left), in the seed mixture is optional when seeding a grassland for bird conservation. Finally, although introduced (nonnative), cool-season grass seeds can be found at any agricultural supply store, **Table 4** lists nurseries that specialize in native grass and wildflower seed.

Table 1. Grass Species Recommended for New York State Grassland

Conservation (including legumes)

| Grass Seed | d Species | 5 | Soil D | rainage | Class | | | |
|---|----------------------------|--|-----------------------------|--|--------------------------------|-----------------------------------|-----------------------|-------------------------|
| Common name | Scientific name | Excessi vely Well drained soil | Well drain ed soil | Moderatel y well drained soil | Somew hat poorly draine d soil | Poorl y drain ed soil | Native/ Introduced | Warm/ Cool season |
| Indiangrass | Sorghastrum nutans | X | X | | | | Native | warm |
| Switchgrass | Panicum virgatum | X | X | | | | Native | warm |
| Little bluestem | Schizachyrium scoparium | X | X | | | | Native | warm |
| Canada wildrye | Elymus Canadensis L. | X | X | | | | Native | cool |
| Big bluestem | Andropogon gerardii | | X | X | | | Native | warm |
| Eastern gamagrass | Tripsacum dactyloides | | | X | X | | Native | warm |
| Virginia wildrye | Elumus virginicus | | | X | X | | Native | cool |
| Deertongue | Panicum clandestinum | | | X | X | | Native | warm |
| Fowl bluegrass | Poa palustris L. | | X | X | Χ | X | Native | cool |
| Fringed brome grass | Bromus ciliatus L. | | X | X | X | X | Native | cool |
| Riverbank wildrye | Elymus riparius | | X | X | X | X | Native | cool |
| Bottlebrush | Elymus hystrix | | Χ | X | X | | Native | cool |
| Orchardgrass | Dactylis glomerata L. | | X | X | | | Introduced | cool |
| Hard Fescue | Festuca trachyphylla | | X | X | | | Introduced | cool |
| Ladino Clover | Trifolium repens | | X | X | | | Introduced | cool |
| Red Clover (upright improved varieties) | Trifolium pratense L. | | X | X | | | Introduced | cool |
| Birdsfoot trefoil (upright varieties, e.e. Pardee, Norcen or Viking) | Lotus corniculantus L. | | X | X | | | Introduced | cool |
| Timothy | Phleum pratense | | X | X | X | | Introduced | cool |
| Red top | Agrostis gigantea | | X | X | X | X | Introduced | cool |

Table 2. Examples of Recommended Grass Seed Mixtures and Seeding Rates (including legumes)

| Rates (including le | | | *** 11 1 1 | ** 1 . 1 . 1 | | B 1 |
|-----------------------|------|-----------------------------|----------------------|------------------------------|-------------------------|------------------------|
| Seed Mixture | Lbs/ | Excessively Well drained | Well drained soil | Moderately well drained soil | Somewhat poorly drained | Poorly drained soil |
| 201 | acre | soil | | | soil | |
| Mixtures of native co | | on grasses | Tuu | Tu | T | I |
| Canada wildrye | 5 | | X | X | X | |
| Riverbank wildrye | 3 | | | | | |
| Bottlebrush | 2 | | | | | |
| Canada wildrye | 4 | | X | X | X | |
| Virginia wildrye | 4 | | | | | |
| Riverbank wildrye | 4 | | | | | |
| Fringed Brome grass | 4 | | | | | |
| Riverbank wildrye | 4 | | | | X | X |
| Virginia wildrye | 4 | | | | | |
| Fringed brome grass | 6 | | | | | |
| Fowl bluegrass | 0.5 | | | | | |
| Mixtures of native wa | | ason grasses | | | 1 | |
| Switchgrass | 2 | | X | X | X | X |
| Deertongue | 4 | | | | | |
| Eastern gamagrass | 5 | | | | | |
| Big bluestem | 2 | X | X | | | |
| Indian grass | 3 | | | | | |
| Little bluestem | 3 | | | | | |
| Deertongue | 2 | | | | | |
| Big bluestem | 4 | X | X | X | X | |
| Indiangrass | 4 | | | | | |
| Switchgrass | 2 | | | | | |
| Big bluestem | 3 | | X | X | X | X |
| Indiangrass | 3 | | | | | |
| Deertongue | 3 | | | | | |
| Switchgrass | 2 | | | | | |
| Mixtures of introduce | | -season spec | 1 | | ı | |
| Orchardgrass and | 5 | | X | X | | |
| Hard fescue, PLUS | 6 | | | | | |
| Ladino Clover, AND | 2 | | | | | |
| Red Clover, OR | 2 | | | | | |
| Birdsfoot trefoil | 3 | | | | | |
| Timothy | 3 | | X | X | X | |
| Orchardgrass | 4 | | | | | |
| Bromegrass, PLUS | 3 | | | | | |
| Ladino clover AND | 2 | | | | | |
| Red Clover OR | 2 | | | | | |
| Birdsfoot trefoil | 3 | | | | | |
| Timothy | 3 | | X | X | X | X |
| Orchardgrass | 4 | | | | | |
| Red top, PLUS | 0.5 | | | | | |

| Ladino clover AND | 2 | | | | |
|--------------------|---|---|---|---|--|
| Red Clover OR | 2 | | | | |
| Birdsfoot trefoil | 3 | | | | |
| Timothy AND | 5 | X | X | X | |
| Orchardgrass, PLUS | 5 | | | | |
| Ladino clover AND | 2 | | | | |
| Red clover, OR | 2 | | | | |
| Birdsfoot trefoil | 3 | | | | |

Table 3. Native Forbes/Wildflowers* (can be included sparingly in grass seed mixtures)

(select a mixture of five species from list to increase diversity)

| Common name | Scientific name | Wetland | Lbs/ac | Soil |
|--|----------------------------------|-----------|--------|------------|
| | | indicator | | adaptation |
| Butterfly milkweed | Asclepias tuberosa | Upland | .0625 | MWD-ED |
| New England aster | Aster novae-angliae | Facw- | .0625 | PD-WD |
| Long leaved aster | Aster umbellatus | Facw | .0313 | PD-WD |
| White heath aster | Aster ericoides | Facu | .0156 | MWD-ED |
| Blue False Indigo | Baptisia australis | Facu | .0625 | MWD-ED |
| Partridgepea (annual) | Chamaecrista fasciculata | Facu | 1.000 | MWD-ED |
| Ox-eye sunflower | Heliopsis helianthoides | Upland | .5000 | MWD-ED |
| Purple coneflower | Echinacea purpurea | Upland | .5000 | MWD-WD |
| Joe pyeweed | Eupatorium | Facw | .0313 | PD-MWD |
| | maculatum | | | |
| Roundhead lespedeza | Lespedeza capitata | Facu- | .0625 | MWD-ED |
| Spiked gayfeather | Liatris spicata | Facu+ | .1250 | SPD-WD |
| Perennial lupine | Lupinus perennis | Facu | .5000 | MWD-ED |
| Wild bergamot | Monarda fistulosa | Upland | .0313 | SPD-MWD |
| Grey headed coneflower | Ratibida pinnata | Upland | .1250 | MWD-ED |
| Blackeyed susan | Rudbeckia hirta | Facu- | .0625 | SPD-WD |
| Canada golden rod | Solidago Canadensis/altissima | Facu | .0156 | SPD-ED |
| Grass leaved golden rod | Euthamia graminifolia | Fac | .0313 | SPD-MWD |
| Boneset | Eupatorium perfoliatum | Facw+ | .0313 | PD-MWD |
| Blue vervain | Blue vervain Verbena hastate | | .0625 | PD-MWD |
| White vervain Verbena urticifolia | | Facu | .0625 | SPD-WD |
| Showy tick trefoil Desmodium canadense | | Fac | .2500 | SPD-WD |
| Golden alexanders | Golden alexanders Zizia aurea | | .2500 | SPD-WD |
| Giant sunflower Helianthus giganteus | | facw | .0313 | PD-MWD |

^{*}Due to the ability of some of these and other plants to colonize the plantings and the cost of the seed, the amount of seed planted is light.

Table 4. Nurseries Specializing in Native Grasses and/or Wildflowers

| Name | Address | Phone | Fax/email/web |
|------------------|-----------------------|----------------------|-------------------------------|
| Ernst | 9006 Mercer Pike | 800-873-3321 | www.ernstseed.com |
| Conservation | Meadville, PA 16335 | | sales@ernstseed.com |
| Seeds | | | (specializing in native and |
| | | | naturalized seed, biomass) |
| Catskill Native | 607 Samsonville Rd | 845-626-2758 | www.catskillnativenursery.com |
| Nursery | Kerhonkson, NY | | |
| | 12446 | | |
| Behn's Best | 689 Albany Turnpike | 518-76-9820 | |
| Perennials | Old Chatham, NY | | |
| | 12136 | | _ |
| Oligny's | 390 Wilton- | 518-745-7604 | www.olignys.com |
| Creative | Gansevoort Rd. | | |
| Landscapes | Gansevoort, NY 12831 | | |
| Native | Quaker Ridge Plaza | 845-855-7050 | www.nativelandscaping.net |
| Landscapes | 991 Route 22 | | |
| | Pawling, NY 12564 | | |
| Project Native | 342 North Plain Rd. | 413-274-3464 | www.projectnative.org |
| | Housatonic, MA 01236 | | |
| Native Seeds, | 14590 Tridelphia Mill | 301-596-9818 | |
| Inc | Rd. | | |
| (wildflowers | Dayton, MD 21036 | | |
| only) | 20271 12 1 | (00.001.0101 | (00,000,000 |
| Pinelands | 323 Island Road | 609-291-9486 | 609-298-8939 |
| Nursery | Columbus, NJ 08022 | 600 40 5 5045 | 600 407 0000 |
| Prairie Ridge | 9738 Overland Road | 608-437-5245 | 608-437-8982 |
| Nursery | Mt. Horeb, WI 53572- | | |
| D. I. I. M. | 2832 | (00.00(.0(50 | 600 006 0744 |
| Prairie Nursery | PO Box 306 | 608-296-3679 | 608-296-2741 |
| Destroy N | Westfield, WI 53964 | 002 207 5577 | 002 207 4401 |
| Putney Nursery, | Route 5 | 802-387-5577 | 802-387-4491 |
| Inc. | Putney, VT 05346 | | |
| (wildflowers o | | | |
| nly) | DO Doy 1200 | 1 000 274 | 000 466 4760 |
| Thompson & | PO Box 1308 | 1-800-274- | 888-466-4769 |
| Morgan, Inc. | Jackson, NJ 08527- | 7333 | |
| (wildflowers | 0308 | | |
| only) Wild Earth | 49 Mead Avenue | 000 200 0777 | |
| Native Plant | | 908-308-9777 | |
| | Freehold, NJ 07728 | | |
| Nursery | | | |